Saudi Journal of Medicine and Public Health

https://saudijmph.com/index.php/pub

https://doi.org/10.64483/202522824

Artificial Intelligence-Driven Integrated Healthcare Systems: A Multidisciplinary Framework for Enhancing Patient Safety, Diagnostic Accuracy, and Clinical Decision-Making.

Norah Al-Ahmad[(1)] , Abdulmajeed Al-Ghuraybi[(1)] , Nasrah Ali Al-Kamal[(1)] , Shatha Al-Otaibi[(1)] , Ashwaq Fahad Al-Qahtani[(1)] , Ali Ahmed Masrahi[(2)] , Mahmoud Makki Hassan Al-Rashed[(3)] , Ibrahim Bakhan Ali Al-Essa[(4)] , Talal Ayedh Ghazi Almutairi[(5)] , Hessa Awadh Alshammary[(6)] ,

(1)Dental Clinics Complex, South Riyadh, Ministry of health, Saudi Arabia
(2)Southern Sector, Jazan, Ministry of Health, Jazan Health Cluster, Saudi Arabia
(3)Dammam, Imam Abdulrahman Al-Faisal Hospital, Dhahran, Drugs Inspection Committee, Ministry of health, Saudi Arabia
(4)King Khalid Hospital, Al-Kharj – Ministry of Health, Saudi Arabia
(5)Riyadh First Health Cluster – Ministry of Health, Saudi Arabia
(6)University of Hail, Ministry of Education, Saudi Arabia

Abstract

Artificial intelligence (AI) is increasingly embedded across healthcare, yet most implementations remain confined to single specialties, limiting their effect on patient safety and clinical decision-making. This narrative review proposes a multidisciplinary framework for AI-driven integrated healthcare systems that connects dentistry, pharmacy, medical laboratory sciences, medical equipment engineering, health administration, nursing, and health information management. Peer-reviewed literature published between 2017 and 2025 was synthesized thematically. The evidence indicates that AI can improve image-based diagnosis, medication safety, laboratory interpretation, device reliability, resource allocation, deterioration surveillance, and data interoperability, but benefits depend on high-quality data, transparent governance, human oversight, and workforce readiness. Persistent concerns include algorithmic bias, dataset shift, alert fatigue, cybersecurity, and unclear accountability. The proposed framework positions the electronic health record as an interoperable data backbone, with governance and ethics as cross-cutting layers. Implementation priorities and research directions are outlined for clinicians, policymakers, and health system leaders.

Keywords: artificial intelligence; patient safety; diagnostic accuracy; clinical decision support; integrated healthcare systems.

Introduction

Healthcare systems worldwide are under sustained pressure from ageing populations, chronic disease burden, workforce shortages, and rising expectations for safety and quality. Despite decades of investment in quality improvement, preventable harm remains common. Diagnostic error alone is estimated to cause substantial serious harm each year, with a large share of the burden concentrated in a small number of conditions such as vascular events, infections, and cancers (Newman-Toker et al., 2021). Medication errors, missed deterioration, test misinterpretation, equipment failure, and fragmented information add to this burden. These failures rarely originate in a single department; they emerge at the interfaces between professions, data systems, and organizational processes. Any serious attempt to improve safety must therefore address the system as a whole rather than isolated clinical tasks.

Artificial intelligence has emerged as one of the most prominent technologies proposed to address these challenges. In the broadest sense, AI refers to computational methods that learn patterns from data and use them to perform tasks that ordinarily require human cognition, including perception, prediction, and recommendation. Early overviews described a field with strong promise in imaging, genomics, and clinical prediction but limited routine deployment (Jiang et al., 2017). Since then, the convergence of large datasets, increased computing power, and improved algorithms has accelerated progress, leading to what has been described as high-performance medicine in which human expertise and machine intelligence are combined (Topol, 2019). Rajkomar et al. (2019) similarly argued that machine learning can extend clinicians' ability to detect patterns, but only if its outputs are embedded in workflows that clinicians trust and can act on.

The technical evidence base has grown considerably. Deep learning systems have achieved performance comparable to that of health professionals in several image-based diagnostic tasks, although a major systematic review cautioned that few studies used rigorous external validation or compared

*Corresponding author e-mail: norahalahmad11@gmail.com (Norah Al-Ahmad).
Receive Date: 07 December 2025, Revise Date: 29 December 2025, Accept Date: 31 December 2025

humans and algorithms under equivalent conditions (Liu et al., 2019). Deep learning applied to electronic health record (EHR) data has shown the ability to predict mortality, readmission, and length of stay at scale (Rajkomar et al., 2018). More recently, large language models have demonstrated an ability to encode clinical knowledge and generate clinically relevant text, opening new possibilities for documentation, patient communication, and decision support, alongside new risks of inaccuracy and unsafe output (Thirunavukarasu et al., 2023). Together, these developments suggest that AI is moving from isolated proof-of-concept studies toward infrastructure that touches every part of care delivery.

However, the literature remains heavily organized by specialty. Studies of AI in radiology, pathology, pharmacy, nursing, or hospital management are typically published, evaluated, and implemented in parallel rather than in combination. Kelly et al. (2019) noted that delivering clinical impact with AI requires attention to implementation, regulation, and human factors, not just algorithmic accuracy. Bajwa et al. (2021) similarly emphasized that the transformation of practice depends on integration with clinical workflows and on addressing the ethical and organizational barriers that accompany deployment. When AI tools are introduced as disconnected point solutions, they risk duplicating alerts, generating conflicting recommendations, and widening rather than narrowing information gaps between professions.

This narrative review addresses that gap by proposing and examining an integrated, multidisciplinary framework in which seven disciplines contribute to a shared AI-enabled care ecosystem: dentistry, pharmacy, medical laboratory sciences, medical equipment and biomedical engineering, health administration, nursing, and medical records and health information management. The review pursues three objectives: (a) to synthesize recent evidence on the contribution of AI within each discipline; (b) to explain how these contributions interact to enhance patient safety, diagnostic accuracy, and clinical decision-making; and (c) to identify governance requirements, implementation priorities, and research needs for integrated deployment. The intended audience includes clinicians, health informaticians, administrators, and policymakers who are responsible for translating AI from pilot projects into safe and sustainable routine practice.

2. Review Approach

This study adopts a narrative review design, which is appropriate when the aim is to interpret and connect a broad and heterogeneous body of literature rather than to estimate a pooled effect. Narrative reviews permit conceptual synthesis across disciplines that use different methods, outcomes, and terminologies, which is precisely the situation in AI-enabled healthcare. The review prioritized peer-reviewed articles, systematic and scoping reviews, consensus statements, and regulatory analyses published between 2017 and 2025. Sources were selected purposively for relevance to at least one of the seven disciplines or to the cross-cutting themes of patient safety, diagnostic accuracy, clinical decision-making, governance, and interoperability. Priority was given to high-impact journals, recent systematic evidence, and studies reporting real-world implementation or external validation.

Evidence was synthesized thematically. For each discipline, the review extracted the main AI applications, reported benefits, and recognized limitations. These were then mapped against three outcome domains (patient safety, diagnostic accuracy, and clinical decision-making) and against enabling conditions such as data quality, interoperability, and governance. Because the review is narrative rather than systematic, it does not claim exhaustive coverage, and the strength of evidence is described qualitatively. Readers should interpret the framework as a conceptual and practical synthesis grounded in the literature rather than as a validated model waiting no further testing.


3. Conceptual Framework for an AI-Driven Integrated Healthcare System

The proposed framework rests on the premise that safety, diagnostic accuracy, and sound decision-making are system properties. They arise from the quality of data captured at many points, the intelligence applied to those data, and the human and organizational processes that act on the resulting information. The framework has four layers. The first is a data and interoperability layer, anchored by the EHR and associated health information infrastructure, which collects and standardizes information from every discipline. The second is an AI services layer, comprising discipline-specific models for imaging, medication analysis, laboratory interpretation, device monitoring, operational forecasting, and patient surveillance. The third is a clinical decision layer, in which outputs are translated into explainable, context-sensitive support for professionals. The fourth is a governance and ethics layer that cuts across all others, covering validation, monitoring, accountability, privacy, security, and equity.

Figure 1 presents this architecture. The EHR sits at the center because it is the principal substrate through which discipline-specific information can be shared. Deep learning on EHR data has demonstrated that heterogeneous records can be harnessed for prediction (Rajkomar et al., 2018), and surveys of the field confirm that representation of clinical notes, codes, laboratory values, and time series is now an active and maturing area (Shickel et al., 2018). In the framework, each discipline both consumes and contributes data. A dental radiograph interpreted by a model enriches the patient record; a pharmacist's intervention updates the medication profile; a

laboratory result flagged by an algorithm triggers nursing surveillance; a device alarm is contextualized by recent clinical events; and administrators use aggregated information to allocate resources and monitor quality.

Figure 1. Integrated AI-driven healthcare framework



The framework assumes human-in-the-loop operation. Clinical decision support has long been recognized as capable of improving care but also of causing harm when poorly designed, so strategies for success must address content, interface, workflow, and ongoing evaluation (Sutton et al., 2020). Shortliffe and Sepúlveda (2018) argued that decision support in the era of AI must remain transparent enough for clinicians to understand why a recommendation is made and must preserve professional accountability. Accordingly, the framework treats AI outputs as inputs to professional judgment rather than substitutes for it, and it assigns explicit roles to each discipline in verifying, contextualizing, and acting on those outputs.

4. Contributions of Individual Disciplines

4.1 Dentistry: AI-Assisted Diagnosis, Oral Imaging, and Treatment Planning

Dentistry is among the most image-intensive health professions, relying on periapical, bitewing, and panoramic radiographs, cone-beam computed tomography, intraoral photographs, and scans. This makes it highly amenable to computer vision. Schwendicke et al. (2020) outlined the chances and challenges of AI in dentistry, highlighting opportunities for earlier, more consistent detection of disease alongside risks related to small datasets, heterogeneous imaging protocols, and inadequate reporting. A systematic review of AI in dental and maxillofacial radiology found that applications span caries detection, periapical pathology, periodontal bone loss, cephalometric landmarking, and detection of cysts and tumors, with many studies reporting high accuracy but limited external validation (Hung et al., 2020).

Specific studies illustrate the potential. A convolutional neural network detected and diagnosed dental caries on periapical radiographs with performance that supports its use as an assistive tool (Lee et al., 2018), and deep learning has been used to detect radiographic periodontal bone loss with accuracy comparable to that of experienced dentists (Krois et al., 2019). Broader reviews of developments, applications, and performance confirm that AI in dentistry is advancing rapidly across diagnosis, prognosis, and treatment planning, while recommending standardized evaluation and clinical trials (Khanagar et al., 2021). More recent work extends applications to digital workflow, orthodontic planning, implant planning, and prosthodontic design, again stressing data quality and clinician oversight (Ding et al., 2023).

Within an integrated system, the value of dental AI extends beyond the dental chair. Oral health is closely linked to systemic conditions such as diabetes, cardiovascular disease, and infection risk, and oral findings can inform medical decision-making, antimicrobial prescribing, and perioperative planning. When dental imaging results, periodontal risk scores, and treatment plans are shared through the common record, pharmacists can anticipate drug interactions with dental prescriptions, laboratory teams can interpret inflammatory markers in context, and physicians can consider oral sources of infection. Dentistry therefore contributes both a specialized diagnostic stream and a window onto systemic health that is often under-used in conventional siloed care.

4.2 Pharmacy: Medication Management, Prescribing Safety, and Drug Interaction Detection

Medication use is one of the highest-risk and highest-volume processes in healthcare, and pharmacy is therefore central to patient safety. A scoping review of AI for patient safety identified medication-related harm, adverse event detection, and clinical deterioration as leading areas of application, while noting that many tools remained at an early stage of evaluation (Bates et al., 2021). In pharmacy practice, AI can support prescription verification, dose individualization, detection of drug–drug and drug–disease interactions, prediction of adverse drug events, adherence monitoring, and identification of patients who would benefit most from pharmacist intervention.

Traditional rule-based alerts are a familiar source of both benefit and burden. Studies of alert fatigue show that workload, complexity, and repeated alerts reduce clinicians' responsiveness, meaning that poorly targeted alerts can diminish rather than enhance safety (Ancker et al., 2017). Machine learning offers a route to more selective, context-aware alerting by incorporating patient-specific factors such as renal function, concurrent therapy, and laboratory trends, thereby prioritizing the alerts most likely to prevent harm. Reviews of decision support emphasize that

such tools must be tuned, monitored, and governed continuously to deliver sustained benefit (Sutton et al., 2020). Upstream, machine learning is also transforming drug discovery and development, from target identification to prediction of toxicity and clinical trial design, which may eventually yield safer therapeutic options and more precise indications (Vamathevan et al., 2019).

The integrated framework positions the pharmacist as a key validator of AI-generated medication recommendations. Pharmacists have access to the full medication profile, laboratory results, and clinical context needed to judge whether a flagged interaction is clinically meaningful, and their interventions generate high-quality feedback data to refine models. Bidirectional links with the laboratory (for therapeutic drug monitoring and renal or hepatic function), with nursing (for administration and adverse reaction observation), and with the EHR (for allergy and history) allow AI to operate on a complete medication picture. This reduces the fragmentation that typically underlies prescribing errors and supports a continuous medication safety loop from prescribing through administration and monitoring.

4.3 Medical Laboratory: Intelligent Diagnostics, Automated Testing, and Result Interpretation

Laboratory results influence a large proportion of clinical decisions, and laboratories were among the earliest healthcare units to adopt automation. AI extends automation from the analytical phase into the pre-analytical and post-analytical phases, supporting specimen quality checks, autoverification, delta checking, error detection, reflex testing, and interpretive commentary. A narrative review of laboratory medicine and AI described an inevitable intertwining of the two, in which algorithms assist with pattern recognition in complex multi-analyte data while laboratory professionals retain responsibility for quality and clinical relevance (Cadamuro, 2021). Complementary work on the value of AI in laboratory medicine highlights applications in test utilization, result interpretation, and diagnostic prediction from routine tests, and stresses the need for validation and transparency (Paranjape et al., 2021).

Digital pathology and cytology illustrate how far laboratory AI has advanced. Weakly supervised deep learning applied to very large collections of whole slide images has achieved clinical-grade performance in detecting cancer, suggesting that algorithms can prioritize cases, reduce workload, and support less experienced readers (Campanella et al., 2019). Hematology, microbiology, and clinical chemistry present similar opportunities, from automated cell morphology classification to prediction of antimicrobial resistance and identification of implausible results. At the same time, there are cautions. Cabitza et al. (2017) warned of the unintended consequences of machine learning in medicine, including automation bias, deskilling, and overreliance on opaque outputs, risks that are particularly salient in laboratories where results are often treated as objective.

In the integrated model, the laboratory acts as a high-fidelity data engine. Because laboratory data are structured, timestamped, and quantitative, they are among the most valuable inputs to predictive models used by nursing and pharmacy teams. AI-supported interpretive comments delivered through the EHR can help clinicians recognize critical patterns earlier, while feedback on test ordering patterns can support diagnostic stewardship by reducing unnecessary tests and highlighting omitted ones. The laboratory also contributes to model governance, since its long tradition of quality control, calibration, and proficiency testing offers a mature template for monitoring the analytical performance of clinical algorithms over time.

4.4 Medical Equipment: Smart Devices, Connected Diagnostics, and Predictive Maintenance

Medical devices form the physical interface between patients and digital intelligence. Infusion pumps, ventilators, monitors, imaging scanners, point-of-care analyzers, and wearables increasingly generate continuous data streams and embed software that learns or adapts. Regulatory analyses show a rapid expansion in AI-enabled devices: databases of devices authorized by the United States Food and Drug Administration reveal a steady growth in approvals, concentrated in radiology but spreading to cardiology, neurology, and other fields (Benjamens et al., 2020). A comparative analysis of approvals in the United States and Europe found that many devices were approved with limited public information on validation, raising questions about transparency and post-market surveillance (Muehlematter et al., 2021).

The broader concept of Medical 4.0, which combines the Internet of Things, big data, cloud computing, and AI, describes a shift toward connected, data-rich equipment capable of remote monitoring, automated calibration, and intelligent diagnostics (Haleem et al., 2022). Predictive maintenance is a particularly practical application. By analyzing usage, sensor, and error-log data, algorithms can forecast component failure, schedule servicing before breakdown, and reduce downtime of critical equipment such as imaging systems and ventilators. This protects patients from interrupted care and from inaccurate readings due to drift, while lowering costs and extending asset life. Federated learning approaches, in which models are trained across institutions without centralizing sensitive data, offer a means of improving device algorithms using diverse populations while preserving privacy (Rieke et al., 2020).

In the integrated system, biomedical engineers become stewards of the technical reliability of the AI ecosystem. They validate device integration, manage software updates, and monitor cybersecurity

of connected equipment. Their role is expanding from repair and inventory control to lifecycle management of intelligent systems, including detection of performance drift and coordination with vendors and regulators. Equipment data also inform nursing (through alarm management), administration (through asset utilization), and clinicians (through confidence in measurements), making the equipment layer a foundation for trustworthy AI rather than a peripheral concern.

4.5 Health Administration: AI Governance, Resource Allocation, Quality Management, and Institutional Decision-Making

Health administrators determine whether AI is adopted responsibly, resourced adequately, and monitored effectively. Their first contribution is governance. Reddy et al. (2020) proposed a governance model for the application of AI in health care that includes principles for fairness, transparency, safety, and accountability, together with structures for oversight across the lifecycle from procurement to decommissioning. Habli et al. (2020) argued that accountability and safety assurance for AI require explicit attention to who is responsible when algorithmic recommendations contribute to harm, and that safety cases, similar to those used in other safety-critical industries, can help demonstrate acceptable risk. Without such structures, institutions may deploy tools whose performance, limitations, and ownership are poorly understood.

A second contribution is operational intelligence. Predictive models can forecast admissions, bed occupancy, emergency department demand, operating room utilization, and staffing needs, enabling proactive rather than reactive resource allocation. Davenport and Kalakota (2019) described administrative applications of AI, including scheduling, revenue cycle management, and workflow automation, as often more immediately deployable than clinical tools because they carry lower direct clinical risk. In quality management, AI can mine incident reports, audit data, and patient feedback to identify recurrent hazards, monitor key performance indicators, and detect outliers in outcomes. Real-world experience shows that implementation success depends on organizational readiness: a sepsis deep learning system integrated into routine care required close collaboration among clinicians, informaticians, and operational leaders, careful attention to workflow, and ongoing evaluation (Sendak et al., 2020).

Administrators also shape the human and ethical environment. They decide how clinicians are trained, how algorithmic performance is audited, how incidents involving AI are reported, and how equity is protected. A widely cited study found that an algorithm used to manage the health of millions of patients exhibited substantial racial bias because it used healthcare costs as a proxy for need (Obermeyer et al., 2019). Such findings underscore that institutional decision-makers must demand subgroup performance data, scrutinize the choice of prediction targets, and maintain mechanisms for continuous bias monitoring. In the integrated framework, administration is therefore the steward of the governance layer, translating ethical principles into policies, procedures, and accountability.

4.6 Nursing: AI-Assisted Monitoring, Clinical Assessment, and Decision Support

Nurses are the professionals closest to the patient's moment-to-moment condition and are therefore both major users and major sources of data for AI systems. Robert (2019) described how AI is changing nursing through applications such as predictive analytics, virtual assistants, robotics, and smart monitoring, emphasizing that technology should enhance rather than replace the relational and ethical core of nursing practice. A scoping review of predicted influences of AI on the domains of nursing identified potential effects on assessment, diagnosis, planning, implementation, and evaluation, as well as on education and administration (Buchanan et al., 2020). An international think-tank further articulated priorities for AI in nursing, including nurse involvement in design, attention to ethical and equity implications, and development of AI literacy across the profession (Ronquillo et al., 2021).

Early warning and deterioration prediction represent the most mature nursing applications. Machine learning models that integrate vital signs, laboratory results, and nursing documentation can identify patients at risk of sepsis, cardiac arrest, or unplanned intensive care transfer earlier than conventional scores. In critical care, reinforcement learning has been used to derive treatment strategies for sepsis that, in retrospective analysis, were associated with better outcomes than average clinician decisions, illustrating the potential of AI to support complex bedside decisions while also demonstrating the need for prospective validation (Komorowski et al., 2018). Other nursing applications include fall and pressure injury risk prediction, automated documentation using natural language processing, and intelligent triage, each of which can release nursing time for direct patient care if implemented thoughtfully.

However, nursing also bears the burden of poorly designed technology. Excessive alarms and alerts contribute to fatigue and desensitization (Ancker et al., 2017), and unvalidated risk scores may add documentation work without improving outcomes. The integrated framework therefore gives nurses a dual role: they act on AI-generated warnings, and they provide the clinical judgment and feedback that determine whether such warnings are useful. Because nursing observations enter the shared record and feed other disciplines' models, the quality and timeliness of

nursing data are critical determinants of system-wide performance. Involving nurses in selection, design, and evaluation of AI tools is therefore not merely a courtesy but a safety requirement.

4.7 Medical Records and Health Information Management: EHRs, Data Integration, Interoperability, and Security

Health information management provides the infrastructure on which every other discipline's AI depends. Electronic health records have become nearly universal in many health systems, a transformation accelerated in the United States by national incentive policy that produced large gains in hospital adoption (Adler-Milstein & Jha, 2017). Yet adoption is not equivalent to integration. Clinical information remains scattered across inpatient, outpatient, laboratory, imaging, pharmacy, and device systems, stored in inconsistent formats and vocabularies. AI models trained on such data inherit its gaps and inconsistencies, so data governance, terminology standardization, and de-duplication are preconditions for safe intelligence rather than administrative niceties.

Interoperability is the central technical challenge. Standards such as HL7 FHIR, controlled vocabularies, and application programming interfaces allow data to move between systems and permit AI tools to be embedded within the clinician's workflow rather than operating in separate portals. Deep learning methods for EHR analysis can leverage structured and unstructured data, including free-text notes, but they require careful handling of missingness, temporal irregularity, and bias in documentation practices (Shickel et al., 2018). Health information professionals also manage data quality, coding, and clinical documentation improvement, all of which directly influence model performance. Natural language processing and large language models may reduce documentation burden, but outputs must be verified to prevent propagation of errors into the legal record (Thirunavukarasu et al., 2023).

Security and privacy complete the picture. As AI expands the volume of data processed and the number of connected systems, the attack surface for cybersecurity threats grows. Privacy-preserving techniques such as federated learning, de-identification, and differential privacy can enable collaborative model development while limiting exposure of sensitive information (Rieke et al., 2020). Health information managers therefore contribute access control, audit trails, consent management, and breach response. Table 1 summarizes the contributions of all seven disciplines, together with their principal AI applications, outcome domains, and key limitations.

Table 1. Summary of Discipline-Specific AI Contributions within the Integrated Framework

Discipline	Principal AI applications	Primary outcome domain	Key limitations	Representative sources
Dentistry	Caries and periodontal bone loss detection; cephalometric analysis; implant and orthodontic planning	Diagnostic accuracy	Small, single-centre datasets; limited external validation	Hung et al. (2020); Krois et al. (2019); Khanagar et al. (2021)
Pharmacy	Prescription verification; interaction detection; adverse drug event prediction; drug development	Patient safety	Alert fatigue; need for context-aware tuning	Bates et al. (2021); Ancker et al. (2017); Vamathevan et al. (2019)
Medical laboratory	Autoverification; digital pathology; result interpretation; test utilization	Diagnostic accuracy	Automation bias; transparency; analytical drift	Cadamuro (2021); Campanella et al. (2019); Paranjape et al. (2021)
Medical equipment	Smart devices; connected diagnostics; predictive maintenance; federated learning	Safety and reliability	Limited transparency of approvals; cybersecurity	Benjamens et al. (2020); Muehlematter et al. (2021); Haleem et al. (2022)
Health administration	Governance models; demand forecasting; quality monitoring; bias oversight	Institutional decision-making	Accountability gaps; organizational readiness	Reddy et al. (2020); Habli et al. (2020); Obermeyer et al. (2019)
Nursing	Early warning scores; documentation support; risk prediction; triage	Clinical decision-making	Alarm burden; need for nurse involvement in design	Robert (2019); Buchanan et al. (2020); Ronquillo et al. (2021)

Medical records	Data integration; interoperability; NLP; security and privacy	Enabling infrastructure	Fragmented data; documentation bias; privacy risk	Adler-Milstein & Jha (2017); Shickel et al. (2018); Rieke et al. (2020)

5. How Combined Contributions Enhance Safety, Accuracy, and Decision-Making

5.1 Patient Safety

Patient safety improves when AI is applied across the entire chain of care rather than at a single point. The scoping review by Bates et al. (2021) identified opportunities for AI to reduce harm through adverse event prediction, medication safety, and deterioration detection, yet it also noted that most evidence came from retrospective or simulation studies. In an integrated system, these applications reinforce one another. A medication-related risk flagged by the pharmacy model can be cross-checked against laboratory trends, nursing observations, and device data, increasing specificity and reducing false alarms. Predictive maintenance reduces the probability of equipment-related incidents, while administrative analytics identify systemic hazards before they cause harm.

Integration also addresses a classic safety problem: information loss at transitions. When a patient moves between departments, discharge, or community care, critical information about medications, allergies, test results, and pending investigations may be lost. Shared EHR infrastructure with AI-based summarization and reconciliation can reduce this risk, provided that outputs are verified. Evidence from complex diagnostic settings suggests that systemic and cognitive factors, not individual incompetence, drive many serious errors (Newman-Toker et al., 2021), which supports a design philosophy that distributes safeguards across professions and technologies. The goal is a layered defense in which each discipline's AI and human review catch what others miss.

5.2 Diagnostic Accuracy

Diagnostic accuracy depends on the quality of inputs, the interpretation of patterns, and the integration of findings across sources. AI contributes at each step: imaging models in dentistry and radiology improve detection (Hung et al., 2020; Liu et al., 2019), laboratory algorithms enhance interpretation of complex results (Paranjape et al., 2021), digital pathology prioritizes suspicious cases (Campanella et al., 2019), and EHR-based models synthesize historical data to identify at-risk patients (Rajkomar et al., 2018). A guide to deep learning in healthcare emphasized that these methods are strongest when applied to well-defined perceptual tasks with large labeled datasets, and that translation requires attention to robustness and workflow (Esteva et al., 2019). The integrated framework combines these strengths by enabling multimodal reasoning in which imaging, laboratory, medication, and observational data are interpreted together.


A key caution is generalizability. Models developed in one institution often perform worse elsewhere because of differences in populations, equipment, and practices, a phenomenon known as dataset shift. Finlayson et al. (2021) described how dataset shift can degrade AI performance and urged clinicians to understand when models are operating outside their validated conditions. Explainability is another concern. Ghassemi et al. (2021) argued that current explainable AI methods provide limited assurance and should not be treated as a substitute for rigorous validation. In the integrated system, diagnostic AI should therefore be accompanied by local validation, continuous performance monitoring, and clear communication of uncertainty, so that clinicians can calibrate their trust appropriately.

5.3 Clinical Decision-Making

Clinical decision-making benefits when AI delivers the right information, to the right person, at the right time, in a form that supports action. Effective decision support systems are integrated into workflow, provide actionable recommendations, and are evaluated and refined continuously (Sutton et al., 2020). In an integrated framework, decision support is no longer limited to a prescriber's order screen; it extends to nurses at the bedside, pharmacists during verification, laboratory professionals during result review, and administrators in operational planning. Shared situational awareness, built on a common data layer, reduces contradictory advice and supports interprofessional coordination.

AI also introduces new decision-making risks. Over-reliance can lead clinicians to accept incorrect recommendations, while under-reliance can negate potential benefits. Studies of large language models show impressive knowledge but also hallucination and inconsistency, which means that their use in decision support requires strict oversight and clear boundaries (Thirunavukarasu et al., 2023). The decision layer of the framework therefore emphasizes explanation, uncertainty communication, and the ability for professionals to override and document disagreement. Figure 2 illustrates how information flows from data capture through AI analysis to professional decision and feedback, forming a learning loop that supports continuous improvement of both models and practice.

Figure 2. AI-supported clinical decision loop



6. Governance, Ethics, and Implementation Challenges

The promise of integrated AI is balanced by substantial challenges, many of which are organizational and ethical rather than technical. A mapping review of the ethics of AI in health care identified recurring concerns about privacy, transparency, bias, accountability, and the effects of AI on the clinician–patient relationship, noting that much of the discussion remained abstract and lacked operational guidance (Morley et al., 2020). Bias is especially consequential: when training data under-represent particular groups or when proxies encode structural inequities, algorithms can perpetuate or worsen disparities, as shown by the cost-based risk algorithm studied by Obermeyer et al. (2019). Equity must therefore be built into design, evaluation, and monitoring from the outset.

Regulation and accountability remain unsettled. Devices with adaptive algorithms challenge traditional approval processes designed for static products, and analyses of authorized devices reveal inconsistent transparency regarding clinical validation (Muehlematter et al., 2021). Questions about liability when clinicians follow or reject AI advice are unresolved, and safety assurance frameworks are still developing (Habli et al., 2020). Kelly et al. (2019) noted that translating algorithms to clinical impact requires prospective evaluation, appropriate regulatory pathways, and mechanisms for post-deployment surveillance. Integrated systems magnify these issues because responsibility is distributed across professions and technologies, so clear role definitions and escalation pathways are essential.

Workforce and cultural factors are equally important. Clinicians may distrust opaque tools, fear deskilling, or experience additional workload when systems are poorly integrated. Nursing literature emphasizes that professionals must be involved in design and implementation and must receive training in AI literacy (Ronquillo et al., 2021; Robert, 2019). Laboratory professionals face the risk of automation bias and loss of interpretive expertise (Cabitza et al., 2017). Technical challenges include data quality, interoperability, model drift, and cybersecurity, all of which require ongoing investment. Table 2 summarizes the principal risks encountered in integrated AI systems, their consequences, and recommended mitigation strategies.

Table 2. Principal Risks in Integrated AI Healthcare Systems and Recommended Mitigation Strategies


Risk domain	Description and potential consequence	Mitigation strategy	Supporting sources
Algorithmic bias	Proxy targets or unrepresentative data produce inequitable outputs and widen disparities	Subgroup performance reporting; audit of prediction targets; diverse training data	Obermeyer et al. (2019); Morley et al. (2020)
Dataset shift and drift	Performance declines when populations, equipment, or practices change	Local validation; continuous monitoring; scheduled revalidation	Finlayson et al. (2021); Kelly et al. (2019)
Alert fatigue and automation bias	Excess or poorly targeted alerts cause desensitization; clinicians over-trust outputs	Context-aware alerting; human-in-the-loop design; override documentation	Ancker et al. (2017); Cabitza et al. (2017); Sutton et al. (2020)
Opacity and explainability limits	Clinicians cannot assess reasoning; false reassurance from weak explanations	Transparent reporting; uncertainty communication; rigorous validation over reliance on explanations	Ghassemi et al. (2021); Shortliffe & Sepúlveda (2018)
Accountability and regulatory gaps	Unclear liability and inconsistent device transparency	Safety cases; governance committees; post-market surveillance	Habli et al. (2020); Reddy et al. (2020); Muehlematter et al. (2021)
Privacy and cybersecurity	Larger attack surface and exposure of sensitive data	Federated learning; access controls; audit trails; security by design	Rieke et al. (2020); Haleem et al. (2022)
Workforce readiness	Deskilling, resistance, and workload from poor integration	AI literacy training; co-design with professionals; phased deployment	Ronquillo et al. (2021); Robert (2019); Bajwa et al. (2021)

7. Implementation Roadmap

Translating the framework into practice requires a staged approach. The first stage is foundation building: establishing governance structures, assessing data quality and interoperability, defining roles, and selecting priority use cases with clear safety or quality objectives. Institutions should begin with lower-risk, high-value applications such as operational forecasting, documentation support, and medication verification, building organizational competence before moving to higher-risk diagnostic and treatment recommendations. A governance committee including representatives of all seven disciplines, together with patient representatives, should approve use cases, review validation evidence, and set monitoring requirements (Reddy et al., 2020).

The second stage is validation and pilot deployment. Models should be validated locally on representative data and tested in silent mode before influencing care, as demonstrated by real-world sepsis implementation experience (Sendak et al., 2020). Pilots should include prospective evaluation of clinical outcomes, workflow impact, and user experience, with explicit attention to subgroup performance. The third stage is scaled integration, in which interoperable data pipelines connect discipline-specific tools and shared decision support is embedded in the EHR. The fourth is continuous learning and surveillance: monitoring for drift, auditing equity, reporting incidents, updating models, and retraining staff. Figure 3 depicts this four-stage roadmap and the principal activities and responsible disciplines at each stage.

Figure 3. Four-stage implementation roadmap



Success factors recur across the literature: executive sponsorship, interdisciplinary teams, clinician engagement, transparent communication with patients, and sustained funding for maintenance rather than only initial purchase (Bajwa et al., 2021; Kelly et al., 2019). Measuring success requires balanced metrics that include safety events, diagnostic concordance, time to treatment, clinician workload, equity indicators, and cost, rather than technical accuracy alone. Institutions should also publish performance and lessons learned to strengthen the evidence base, since the field still suffers from a

8. Future Directions

Several research and policy priorities emerge. First, prospective, multi-centre studies are needed to evaluate integrated rather than isolated AI interventions, with outcomes that matter to patients, such as harm reduction and diagnostic delay. Second, multimodal models that combine imaging, laboratory, textual, and sensor data may improve diagnostic accuracy, but they will intensify the need for interoperability, governance, and privacy protection. Third, generative AI and large language models are likely to reshape documentation, patient communication, and decision support; their safe use will depend on rigorous evaluation, grounding in verified clinical knowledge, and clear accountability (Thirunavukarasu et al., 2023). Fourth, federated and privacy-preserving approaches can enable learning across institutions and countries without centralizing data (Rieke et al., 2020), which is particularly important for low-resource settings and rare conditions.

Fifth, workforce development must keep pace. Curricula in dentistry, pharmacy, laboratory sciences, nursing, biomedical engineering, health administration, and health information management should incorporate AI literacy, data ethics, and critical appraisal of algorithmic evidence. Sixth, regulatory frameworks should evolve to accommodate adaptive systems, requiring transparent reporting, post-market monitoring, and mechanisms for shared accountability (Muehlematter et al., 2021). Finally, research should examine how integrated AI affects professional roles, patient trust, and health equity, ensuring that efficiency gains do not come at the expense of human-centered care.

9. Limitations

This review is narrative and therefore subject to selection bias; it does not follow a systematic protocol or quantify effect sizes. The evidence base is uneven, with imaging and prediction research far more developed than evidence on integrated, multi-professional deployment. Many cited studies are retrospective, and publication bias may favor positive results. The proposed framework is conceptual and requires empirical testing, adaptation to local contexts, and refinement through stakeholder consultation. Finally, the field is evolving rapidly, and technologies such as generative AI may change the landscape faster than the literature can document.

10. Conclusion

AI offers real potential to enhance patient safety, diagnostic accuracy, and clinical decision-making, but its greatest value will be realized when it is deployed as an integrated, multidisciplinary system rather than as a collection of isolated tools. Dentistry contributes image-based diagnostics and a window on systemic health; pharmacy strengthens medication safety; laboratories supply high-quality data and interpretive intelligence; medical equipment provides

reliable, connected sensing; nursing links algorithms to the bedside; administration provides governance and resources; and health information management supplies the interoperable, secure data foundation. Each contribution is necessary, and none is sufficient alone.

The central message of the literature is that technology performance is only one determinant of success. Data quality, interoperability, validation, bias monitoring, transparent governance, clinician engagement, and clear accountability determine whether AI improves care or introduces new hazards. By adopting a layered framework with the EHR as data backbone, human-in-the-loop decision support, and cross-cutting governance, health systems can move from fragmented experimentation to coordinated, safe, and equitable AI-enabled care. Realizing this vision will require sustained collaboration among professions, institutions, regulators, and patients, and a commitment to rigorous evaluation of what works in real clinical practice.

References

1. Adler-Milstein, J., & Jha, A. K. (2017). HITECH Act drove large gains in hospital electronic health record adoption. *Health affairs*, *36*(8), 1416-1422.
2. Ancker, J. S., Edwards, A., Nosal, S., Hauser, D., Mauer, E., Kaushal, R., & With the HITEC Investigators. (2017). Effects of workload, work complexity, and repeated alerts on alert fatigue in a clinical decision support system. *BMC medical informatics and decision making*, *17*(1), 36.
3. Bajwa, J., Munir, U., Nori, A., & Williams, B. (2021). Artificial intelligence in healthcare: transforming the practice of medicine. *Future healthcare journal*, *8*(2), e188-e194.
4. Bates, D. W., Levine, D., Syrowatka, A., Kuznetsova, M., Craig, K. J. T., Rui, A., ... & Rhee, K. (2021). The potential of artificial intelligence to improve patient safety: a scoping review. *NPJ digital medicine*, *4*(1), 54.
5. Benjamens, S., Dhunnoo, P., & Meskó, B. (2020). The state of artificial intelligence-based FDA-approved medical devices and algorithms: an online database. *NPJ digital medicine*, *3*(1), 118.
6. Buchanan, C., Howitt, M. L., Wilson, R., Booth, R. G., Risling, T., & Bamford, M. (2020). Predicted influences of artificial intelligence on the domains of nursing: scoping review. *JMIR nursing*, *3*(1), e23939.
7. Cabitza, F., Rasoini, R., & Gensini, G. F. (2017). Unintended consequences of machine learning in medicine. *Jama*, *318*(6), 517-518.
8. Cadamuro, J. (2021). Rise of the machines: the inevitable evolution of medicine and medical laboratories intertwining with artificial intelligence—a narrative review. *Diagnostics*, *11*(8), 1399.
9. Campanella, G., Hanna, M. G., Geneslaw, L., Miraflor, A., Werneck Krauss Silva, V., Busam, K. J., ... & Fuchs, T. J. (2019). Clinical-grade computational pathology using weakly supervised deep learning on whole slide images. *Nature medicine*, *25*(8), 1301-1309.
10. Davenport, T., & Kalakota, R. (2019). The potential for artificial intelligence in healthcare. *Future healthcare journal*, *6*(2), 94-98.
11. Ding, H., Wu, J., Zhao, W., Matinlinna, J. P., Burrow, M. F., & Tsoi, J. K. (2023). Artificial intelligence in dentistry—A review. *Frontiers in Dental Medicine*, *4*, 1085251.
12. Esteva, A., Robicquet, A., Ramsundar, B., Kuleshov, V., DePristo, M., Chou, K., ... & Dean, J. (2019). A guide to deep learning in healthcare. *Nature medicine*, *25*(1), 24-29.
13. Finlayson, S. G., Subbaswamy, A., Singh, K., Bowers, J., Kupke, A., Zittrain, J., ... & Saria, S. (2021). The clinician and dataset shift in artificial intelligence. *New England Journal of Medicine*, *385*(3), 283-286.
14. Ghassemi, M., Oakden-Rayner, L., & Beam, A. L. (2021). The false hope of current approaches to explainable artificial intelligence in health care. *The lancet digital health*, *3*(11), e745-e750.
15. Habli, I., Lawton, T., & Porter, Z. (2020). Artificial intelligence in health care: accountability and safety. *Bulletin of the World Health Organization*, *98*(4), 251.
16. Haleem, A., Javaid, M., Singh, R. P., & Suman, R. (2022). Medical 4.0 technologies for healthcare: Features, capabilities, and applications. *Internet of Things and Cyber-Physical Systems*, *2*, 12-30.
17. Hung, K., Montalvao, C., Tanaka, R., Kawai, T., & Bornstein, M. M. (2020). The use and performance of artificial intelligence applications in dental and maxillofacial radiology: A systematic review. *Dentomaxillofacial Radiology*, *49*(1), 20190107.
18. Jiang, F., Jiang, Y., Zhi, H., Dong, Y., Li, H., Ma, S., ... & Wang, Y. (2017). Artificial intelligence in healthcare: past, present and future. *Stroke and vascular neurology*, *2*(4), 230-243.
19. Kelly, C. J., Karthikesalingam, A., Suleyman, M., Corrado, G., & King, D. (2019). Key challenges for delivering clinical impact with artificial intelligence. *BMC medicine*, *17*(1), 195.
20. Khanagar, S. B., Al-Ehaideb, A., Maganur, P. C., Vishwanathaiah, S., Patil, S., Baeshen, H.

A., ... & Bhandi, S. (2021). Developments, application, and performance of artificial intelligence in dentistry–A systematic review. *Journal of dental sciences*, *16*(1), 508-522.
21. Komorowski, M., Celi, L. A., Badawi, O., Gordon, A. C., & Faisal, A. A. (2018). The artificial intelligence clinician learns optimal treatment strategies for sepsis in intensive care. *Nature medicine*, *24*(11), 1716-1720.
22. Krois, J., Ekert, T., Meinhold, L., Golla, T., Kharbot, B., Wittemeier, A., ... & Schwendicke, F. (2019). Deep learning for the radiographic detection of periodontal bone loss. *Scientific reports*, *9*(1), 8495.
23. Lee, J. H., Kim, D. H., Jeong, S. N., & Choi, S. H. (2018). Detection and diagnosis of dental caries using a deep learning-based convolutional neural network algorithm. *Journal of dentistry*, *77*, 106-111.
24. Liu, X., Faes, L., Kale, A. U., Wagner, S. K., Fu, D. J., Bruynseels, A., ... & Denniston, A. K. (2019). A comparison of deep learning performance against health-care professionals in detecting diseases from medical imaging: a systematic review and meta-analysis. *The lancet digital health*, *1*(6), e271-e297.
25. Morley, J., Machado, C. C., Burr, C., Cowls, J., Joshi, I., Taddeo, M., & Floridi, L. (2021). The ethics of AI in health care: a mapping review. *Ethics, Governance, and Policies in Artificial Intelligence*, 313-346.
26. Muehlematter, U. J., Daniore, P., & Vokinger, K. N. (2021). Approval of artificial intelligence and machine learning-based medical devices in the USA and Europe (2015–20): a comparative analysis. *The Lancet Digital Health*, *3*(3), e195-e203.
27. Newman-Toker, D. E., Schaffer, A. C., Yu-Moe, C. W., Nassery, N., Saber Tehrani, A. S., Clemens, G. D., ... & Siegal, D. (2019). Serious misdiagnosis-related harms in malpractice claims: the "Big Three"–vascular events, infections, and cancers. *Diagnosis*, *6*(3), 227-240.
28. Obermeyer, Z., Powers, B., Vogeli, C., & Mullainathan, S. (2019). Dissecting racial bias in an algorithm used to manage the health of populations. *Science*, *366*(6464), 447-453.
29. Paranjape, K., Schinkel, M., Hammer, R. D., Schouten, B., Nannan Panday, R. S., Elbers, P. W., ... & Nanayakkara, P. (2021). The value of artificial intelligence in laboratory medicine: current opinions and barriers to implementation. *American journal of clinical pathology*, *155*(6), 823-831.
30. Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine*, *380*(14), 1347-1358.
31. Rajkomar, A., Oren, E., Chen, K., Dai, A. M., Hajaj, N., Hardt, M., ... & Dean, J. (2018). Scalable and accurate deep learning with electronic health records. *NPJ digital medicine*, *1*(1), 18.
32. Reddy, S., Allan, S., Coghlan, S., & Cooper, P. (2020). A governance model for the application of AI in health care. *Journal of the American medical informatics association*, *27*(3), 491-497.
33. Rieke, N., Hancox, J., Li, W., Milletari, F., Roth, H. R., Albarqouni, S., ... & Cardoso, M. J. (2020). The future of digital health with federated learning. *NPJ digital medicine*, *3*(1), 119.
34. Robert, N. (2019). How artificial intelligence is changing nursing. *Nursing management*, *50*(9), 30.
35. Ronquillo, C. E., Peltonen, L. M., Pruinelli, L., Chu, C. H., Bakken, S., Beduschi, A., ... & Topaz, M. (2021). Artificial intelligence in nursing: Priorities and opportunities from an international invitational think-tank of the Nursing and Artificial Intelligence Leadership Collaborative. *Journal of advanced nursing*, *77*(9), 3707-3717.
36. Schwendicke, F. A., Samek, W., & Krois, J. (2020). Artificial intelligence in dentistry: chances and challenges. *Journal of dental research*, *99*(7), 769-774.
37. Sendak, M. P., Ratliff, W., Sarro, D., Alderton, E., Futoma, J., Gao, M., ... & O'Brien, C. (2020). Real-world integration of a sepsis deep learning technology into routine clinical care: implementation study. *JMIR medical informatics*, *8*(7), e15182.
38. Shickel, B., Tighe, P. J., Bihorac, A., & Rashidi, P. (2017). Deep EHR: a survey of recent advances in deep learning techniques for electronic health record (EHR) analysis. *IEEE journal of biomedical and health informatics*, *22*(5), 1589-1604.
39. Shortliffe, E. H., & Sepúlveda, M. J. (2018). Clinical decision support in the era of artificial intelligence. *Jama*, *320*(21), 2199-2200.
40. Sutton, R. T., Pincock, D., Baumgart, D. C., Sadowski, D. C., Fedorak, R. N., & Kroeker, K. I. (2020). An overview of clinical decision support systems: benefits, risks, and strategies for success. *NPJ digital medicine*, *3*(1), 17.
41. Thirunavukarasu, A. J., Ting, D. S. J., Elangovan, K., Gutierrez, L., Tan, T. F., & Ting, D. S. W. (2023). Large language

models in medicine. *Nature medicine*, *29*(8), 1930-1940.

42. Topol, E. J. (2019). High-performance medicine: the convergence of human and artificial intelligence. *Nature medicine*, *25*(1), 44-56.

Vamathevan, J., Clark, D., Czodrowski, P., Dunham, I., Ferran, E., Lee, G., ... & Zhao, S. (2019). Applications of machine learning in drug discovery and development. *Nature reviews Drug discovery*, *18*(6), 463-477.